



SURGIMILL

SURGIMILL MEDICAL SYSTEMS PVT. LTD.

CUSTOM DESIGNED OPERATION
THEATER AND HOSPITAL PRODUCTS



SURGIMILL MEDICAL SYSTEMS PVT LTD IS ONE OF THE LEADING MANUFACTURER AND SUPPLIERS OF HIGH QUALITY OPERATION THEATER EQUIPMENT IN INDIA. WE ARE IN THE INDUSTRY OFFERING THE MARKET GREATER CHOICE, INNOVATIVE AND ERGONOMIC DESIGNS AS WELL AS DURABLE PRODUCTS. SINCE OUR HUMBLE INCEPTION THE COMPANY IS GROWING FROM STRENGTH TO STRENGTH. FROM THE VERY BEGINNING, THE COMPANY HAS FOCUSED ON ITS CORE PRINCIPLES OF CUSTOMER SERVICE, QUALITY, VALUE FOR MONEY AND INNOVATION, AND IT IS THESE PRINCIPLES THAT HAVE ENABLED SURGIMILL TO GAIN THE TRUST OF CUSTOMERS.



OUR PRODUCTS

- ICU BED
- FOWLER BED
- SEMI-FOWLER BED
- ALL HOSPITAL FURNITURES
- HYDRAULIC OT TABLE
- SEMI-ELECTRIC OT TABLE
- ELECTRIC OT TABLE
- ELECTRO-MANUAL OT TABLE
- LED OT LIGHT

QUALITY CERTIFICATE



+91 8510953953



www.surgimill.com



support@surgimill.com

SurgiMill reserves the rights to change any of the specifications provided in this catalogue without prior notice for product improvement

MANUAL FOWLER BED

Model No.: **SAM-551**



Length : 75"

Width : 36"

Height : 22"

Finish : **Pre-treated and powder coated**

MANUAL FOWLER BED WITH ABS PANEL AND COLLAPSIBLE RAILING

- Mattress area divided into 4 sections, mounted on 4 castors two with brake.
- 2 Separate crank mechanisms for Backrest and Knee rest respectively.
- Uniformly perforated four section mild steel CRCA sheet top
- Framework made from mild steel ERW rectangular tubes
- IV stand provision on four locations.

ACCESSORIES:

3" Mattress

ABS head & foot panel

Optional:

Collapsible Railing

Castor Wheels

MANUAL FOWLER BED WITH ABS PANELS AND ABS SIDE RAILLING

- Mattress area divided into 4 sections, mounted on 4 castors two with brake.
- Detachable ABS head and foot bows provide a soothing look.
- 4 pieces individual ABS side rails
- IV stand provision on four locations.
- The complete metal components are pre treated and epoxy powder coated.
- 2 Separate crank mechanisms for Backrest and Knee rest respectively.

Length : 2030 mm

Width : 900 mm

Finish : Pre-treated and powder coated

Height : 600 mm

Model No : **SAM-552**



OPTIONAL:

4 Section Mattress

S.S Telescopic I.V. Rod

MANUAL FOWLER BED

Model No.: **SAM-553**



MANUAL FOWLER BED WITH CRP PANEL

- MS Head & Foot Panel.
- Frame work made-up of M.S. Tubes.
- 4 Section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with breaks.
- Four Location for I.V. Rod
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 600H mm.
- Positions Obtained by Smooth Crank System with foldable handle
- Backrest Elevation & Kneerest Elevation

MANUAL FOWLER BED WITH SS LAMINATED PANEL

- Stainless Steel Head & Foot Panel with Laminated wooden Board.
- Frame work made-up of M.S. Tubes.
- 4 Section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with breaks.
- Four Location for I.V. Rod
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 600H mm.
- Positions Obtained by Smooth Crank System with foldable handle Backrest Elevation. Kneerest Elevation

Model No.: **SAM-554**



- OPTIONAL:
- 4 Section Mattress
 - S.S Telescopic I.V. Rod
 - S.S Collapsible Railing

ELECTRIC FOWLER BED

Model No.: **SAM-555**

ELECTRIC FOWLER BED WITH ABS PANEL

- Advance Linear actuator system [02 Pcs Motor, 01 Pcs Handset].
- Two Pieces individual detachable SS side railing.
- Abs Moulded Head & Foot Panel with locking.
- Framework made from M.S. Tubes.
- 4 Sectional Top Made -up of CRCA M.S Sheet.
- Bed mounted on 100mm castors , 2 with break.
- Finish Pretreated & Epoxy Powder Coated.
- Overall Approx Size: 2090L x 910W x 600H MM.
- Position Obtained by Hand Remote
 - (a). Backrest Elevation.
 - (b). Kneerest Elevation.



ELECTRIC FOWLER BED WITH ABS PANELS AND ABS SIDE RAILLING

Model No.: **SAM-556**

- Advance Linear actuator system [02 Pcs Motor, 01 Pcs , 01 Pcs Handset].
- Mattress area divided into 4 sections, mounted on castors two with brake.
- Detachable ABS head and foot bows provide a soothing look.
- 4 pieces individual ABS side rails
- IV stand provision on four locations.
- The complete metal components are pre treated and epoxy powder coated.

Length v	2030 mm
Width	900 mm
Finish	Pre-treated and powder coated
Height	600 mm

OPTIONAL:
4 Section Mattress
S.S Telescopic I.V. Rod
Controle panel



MANUAL SEMI-FOWLER BED

Model No.: **SAM-557**



Length : 75"

Width : 36"

Height : 26"

Finish : Pre-treated and powder coated

MANUAL SEMI-FOWLER BED WITH ABS PANEL

- Backrest adjustable on crank mechanism
- Stainless steel handle for backrest adjustment
- Uniformly perforated two section mild steel CRCA sheet top
- Framework made from mild steel ERW rectangular tubes
- Four locations on bed frame for telescopic IV pole
- "H" type legs fitted with four castor wheels
- Pretreated and powder coated finish

ACCESSORIES:

Mattress

ABS head & foot panel

OPTIONAL:

Collapsible side Railing

Castor Wheels

MANUAL SEMI-FOWLER BED WITH SS LAMINATED PANEL

- Frame work of bed is made of Rectangular Tube
- 2 Section Top is made of perforated sheet.
- Backrest positions obtained by Smooth Crank System with foldable handles.
- Laminated wooden Head and Foot panels with SS tube.
- Legs mounted on hard rubber or wheels.
- IV stand provision on four locations.
- The complete metal components are pre treated and epoxy powder coated.

Length 190 cm

Width 90 cm

Finish Pre-treated and powder coated

Height 55 cm

Model No.: **SAM-558**



OPTIONAL:

2 Section Mattress

S.S Telescopic I.V. Rod

MANUAL SEMI-FOWLER BED

Model No.: **SAM-559**



Length : 2030 mm

Width : 900 mm

Finish : Pre-treated and powder coated

Height : 600 mm

MANUAL SEMI- FOWLER BED

- M. S. Head & Foot Panel.
- Frame work made-up of M.S. Tubes.
- 2 Section top made-up of Oval perforated CRCA M.S. Sheet.
- "H" type legs fitted with rubber shoes
- Four Location for I.V. Rod
- Finish: Pretreated & Epoxy Powder Coated.
- Positions Obtained by Smooth Crank System with foldable handle Backrest Elevation.

ELECTRIC SEMI-FOWLER BED WITH ABS PANEL

Model No.: **SAM-560**

- Advance Linear actuator system [01 Pcs Motor, 01 Pcs Handset].
- Abs Moulded Head & Foot Panel with locking.
- Framework made from M.S. Tubes.
- 2 Sectional Top Made -up of CRCA M.S Sheet.
- Leg fitted with PVC Stumps.
- Finish Pretreated & Epoxy Powder Coated.
- Overall Approx Size: 2030L x 900W x 600H MM.
- Position Obtained by Hand Remote
- (a). Backrest Elevation.



OPTIONAL:

2 Section Mattress

S.S Telescopic I.V.

Side rail

Castor wheels

MANUAL ICU BED

FIVE FUNCTIONAL MANUAL ICU BED WITH ABS PANELS & ABS RAILINGS

Model No.: **SAM-561**



Length : 2030 mm
 Width : 900 mm
 Finish : Pre-treated and powder coated
 Height : 600 mm

- Frame work of bed is made of Rectangular Tube.
- 4 Section Top made of Oval Shape perforated CRCA M.S Sheet.
- ABS Moulded Four individual side rails.
- ABS Moulded Head and Foot panel with locking.
- Bed Mounted on 125mm Dia Castors, 2 with brakes.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations.
- Back Rest, Knee Rest, Trendlenburg / Reverse Trendlenburg and Hi-Lo Positions obtained by smooth crank system with foldable handles.

FIVE FUNCTIONAL MANUAL ICU BED WITH ABS PANEL AND COLAPSIBLE RAILING

Model No.: **SAM-562**



- Frame work of bed is made of Rectangular Tube.
 - 4 Section Top made of Oval Shape perforated CRCA M.S Sheet.
 - Collapsible safety side railings.
 - ABS moulded Head and Foot panel with locking.
 - Bed Mounted on 125mm Dia Castors, 2 with brakes.
 - S.S. Telescopic IV Rod with 4 Locations.
 - Back Rest, Knee Rest, Trendlenburg / Reverse Trendlenburg and Hi-Lo Positions obtained by smooth crank system with foldable handles
- OPTIONAL: IV rod.

MANUAL ICU BED

Model No.: **SAM-563**

FOUR FUNCTIONAL MANUAL ICU BED WITH ABS PANELS & ABS RAILINGS (W/O HI-LOW)



Length : 2090 mm
 Width : 910 mm
 Finish : Pre-treated and powder coated
 Height : 600 mm

- Four Pieces individual detachable Side-rails, ABS.
- ABS Moulded Head & Foot Panel with locking and corner buffer.
- Framework made-up of M.S Tubes.
- 4 Section top made-up of Oval perforated CRCA M .S. Sheet
- Bed Mounted on 5" Castors, 2 with breaks.
- S.S. Telescopic I.V. rod with 4 location.
- Holder with Urine Bag.
- Positions Obtained by Smooth Crank System with Foldable Handle (a). Backrest Elevation (b). Kneerest Elevation (c). Trendelburg / Reverse Trendelburg

THREE FUNCTIONAL MANUAL ICU BED WITH ABS PANEL AND COLLAPSIBLE RAILING

Model No.: **SAM-563A**
ECONOMY MODEL

- Framework made-up of M.S Tubes.
- 4 Section top made-up of Oval perforated CRCA M .S. Sheet
- Two Pieces individual detachable Side-rails, Stainless Steel.
- ABS Moulded Head & Foot Panel with locking and corner buffer.
- Bed Mounted on 5" Castors, 2 with breaks.
- S.S. Telescopic I.V. rod with 4 location.
- Holder with Urine Bag.
- Positions Obtained by Smooth Crank System with Foldable Handle (a). Backrest Elevation (b). Kneerest Elevation, (c) Height Adjustment (Hi-lo)



Size: 1982 x 915 x 585 - 710mm

MANUAL ICU BED



Model No.: **SAM-563 B**

**ECONOMY
MODEL**

**THREE FUNCTIONAL
MANUAL ICU BED WITH
LAMINATED PANEL**

- Framework made-up of M.S Tubes.
- 4 Section top made-up of Oval perforated CRCA M .S. Sheet
- Two Pieces individual SS Side-rails,
- SS Head & Foot Panel with laminated wooden board.
- Bed Mounted on 5" Castors, 2 with breaks.
- S.S. Telescopic I.V. rod with 4 location.
- Holder with Urine Bag.
- Positions Obtained by Smooth Crank System with Foldable Handle (a). Backrest Elevation (b). Kneerest Elevation, (c) Height Adjustment (Hi-lo)

Size: 1982 x 915 x 585 - 710mm

ELECTRIC ICU BED

**FIVE FUNCTIONAL ELECTRIC ICU BED
WITH ABS PANEL AND ABS RAILING**

- Completely Motorized 4Pcs Actuators, 1 Control Box, 1Pc Handset with battery backup
- Frame work of bed is made of Rectangular Tube.
- 4 Section Top made of Oval Shape perforated CRCA M.S Sheet.
- ABS Moulded Four individual side rails.
- ABS Moulded Head and Foot panel with locking.
- Bed Mounted on 125mm Dia Castors, 2 with brakes.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations.
- Back Rest, Knee Rest, Trendlenburg / Reverse Trendlenburg and Hi-Lo Positions obtained by electric actuator operated by hand remote system.
- Finish Pretreated & Epoxy Powder Coated.

Size: 1982 x 915 x 585 - 710mm

Model No.: **SAM-564**



ELECTRIC ICU BED

THREE FUNCTIONAL ELECTRIC ICU BED WITH ABS PANEL AND ABS RAILING

Model No.: **SAM-565**

- Completely Motorized 3Pcs Actuators, 1 Control Box, 1Pc Handset.
- Frame work of bed is made of Rectangular Tube.
- 4 Section Top made of Oval Shape perforated CRCA M.S Sheet.
- ABS Moulded Four individual side rails.
- ABS Moulded Head and Foot panel with locking.
- Bed Mounted on 125mm Dia Castors, 2 with brakes.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations.
- Back Rest, Knee Rest and Hi-Lo Positions obtained by electric actuator operated by hand remote system.
- Finish Pretreated & Epoxy Powder Coated.

Size: 1982 x 915 x 585 - 710mm



OPTIONAL:

battery backup

Nurse Panel

Center loking castors

Model No.: **SAM-566**

THREE FUNCTIONAL ELECTRIC ICU BED WITH ABS PANEL AND COLLAPSIBLE RAILING



OPTIONAL:

battery backup

Nurse Panel

Center loking castors

**ECONOMY
MODEL**

- Completely Motorized 3Pcs Actuators, 1 Control Box, 1Pc Handset.
- Frame work of bed is made of Rectangular Tube.
- 4 Section Top made of Oval Shape perforated CRCA M.S Sheet.
- SS collapsible side rails.
- ABS Moulded Head and Foot panel with locking.
- Bed Mounted on 125mm Dia Castors, 2 with brakes.
- Holder for Urine bag.
- S.S. Telescopic IV Rod with 4 Locations.
- Back Rest, Knee Rest and Hi-Lo Positions obtained by electric actuator operated by hand remote system.
- Finish Pretreated & Epoxy Powder Coated.

Size: 1982 x 915 x 585 - 710mm

HOSPITAL BED

Model No.: **SAM-570**

DELUXE PLAIN BED



- Tubular Head & Foot Bows with SS Panel.
- Framework Made-up of M.S.Tubes.
- Top made-up of Oval perforated CRCA M.S. Sheet.
- Legs fitted with PVC Stumps.
- Four Location for I.V. Rod.
- Finish : Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 600H MM.

Optional:

Plain Mattress

SS Telescopic I.V.Rod

GENERAL PLAIN BED

- Tubular Head & Foot Bows .
- Framework Made-up of M.S.Tubes.
- MS 18 Gauge for tubes & 16 Gauge for Sheet.
- Top made-up of perforated CRCA M.S. Sheet.
- Legs fitted with PVC Stumps.
- Four Location for I.V. Rod.
- Finish : Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 600H MM.

Optional:

Plain Mattress

SS Telescopic I.V.Rod

Model No.: **SAM-571**



HOSPITAL ATTENDANT BED

Model No.: **SAM-572**

DELUXE ATTENDANT BED



ATTENDANT BED

Model No.: **SAM-573**

- Overall Size: 180L x 60W x 46H cms.
- Framework made-up of Rectangular / Square MS Tubes.
- Legs fitted with PVC Stumps.
- Finish Pretreated & Epoxy Powder Coated.
- Optional : - Mattress

- Overall Size 72L x 24W x 18H inch
- Leg fitted with PVC stump
- Framework made-up of rectangular M.S Tubes.
- Tubular Head & Foot Bowl.
- Finish : Pretreated & Epoxy Powder Coated.
- Optional : - Mattress



Model No.: **SAM-574**

PEADIATRIC BED



- Tubular Head & Foot Bows of unequal height with vertical tube support.
- Framework made-up of MS Tubes.
- Top made-up of Oval perforated CRCA MS Sheet.
- Legs fitted with PVC Stumps.
- Four Location for I.V Rod.
- Full length drop side rails on both sides.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 1480L x 840W x 600H
- Optional : - Mattress

I.V. Rod

GYNAE / OBSTETRIC TABLE

Model No.: **SAM-575**



GYNAE EXAMINATION TABLE

- Frame work made of rectangular / square M.S. Tube. Backrest section adjustable on Ratchet/ Lever
- Legs fitted with PVC stumps
- foam cushioned top covered with rexine with perineal cut
- Adjustable lithotomy poles with straps.
- Epoxy Powder Coated. Size: 150 x 60 x 46 (L x W x H cms)

OBSTETRIC DELIVERY TABLE (THREE SECTION)

- Overall Size : 180L x 60W x 80H cms
- Framework made of Mild Steel
- Back rest section adjustable on Ratchet / Lever.
- Legs fitted with PVC Stumps 5 cms foam cushioned top covered.
- Adjustable lithotomy poles with straps.
- Drainage tray

Model No.: **SAM-576**



OBSTETRIC DELIVERY TABLE TELESCOPE FIXED HEIGHT SS

Model No.: **SAM-577**



- Overall Approx Max. Size : 72" x 27" x 30". 2. Frame work made from SS Tubes.
- Legs fitted with PVC Stumps.
- 3 Section top made of SS Sheet.
- Back rest section adjustable on ratchet
- Leg end section can slide under the main section.
- The entire table top gives trendelburg positions by screw mechanism system.
- Removable safety side railing are provided on 2sides of the table.
- Pair of foam padded knee crutches.
- Patient bearing down hand grips made of SS Tubes.
- Supplied with waste collecting SS Bowl on SS Bracket and one SS I.V Rod.
- Provided 3 Sectional Mattress.

OBSTETRIC LABOR TABLE TELESCOPIC (ADJUSTABLE HEIGHT)

SAM-578



- Approx Dimensions: 72"L x 27"W x 32"H
- Tubular framework mounted on swiveling castors.
- Back rest section adjustable on ratchet
- Leg end section can slide under the main section.
- The entire table top gives trendelburg positions by Screw Mechanism.
- Removable safety side railing are provided on 3 sides of the table.
- **Motorized Height Adjustment by hand remote**
- A Pair of foam padded knee crutches.
- Patient bearing down hand grips made of SS Tubes.
- Supplied with waste collecting SS Bowl on SS Bracket and one SS I.V Rod.
- Provided 3 Sectional Mattress.

LABOUR DELIVERY ROOM BED (HYDRAULIC)

- Overall Size : 1880L x 660W x 600 - 800 H mm.
- Tubular Framework mounted on 125mm dia castors two with break.
- Three section top made of Bakelite Sheet covered with mattress.
- Trendelburg / Reverse trendelberg positions adjustment through gear mechanism.
- Height adjustment through imported hydraulic pump.
- Back Section adjustment through ratchet system.
- Leg end section can slide under the main section.
- Provided with a pair of Upholstrey Lithotomy positions.
- S.S Telescopic I.V Rod & Detachable S.S Tray.

SAM-579



LABOUR DELIVERY ROOM BED (ELECTRIC)

SAM-580



- Size : 1880L x 660W x 600 - 800 H mm.
- Framework mounted on 125mm dia castors 1 break.
- Section top made of Bakelite Sheet covered with S.
- Trendelburg / Reverse trendelberg positions, Height adjustment, Back Section adjustment through electric r system.
- Leg end section can slide under the main section.
- Provided with a pair of Upholstrey Lithotomy positions.
- S.S Telescopic I.V Rod.
- Detachable S.S Tray.

EXAMINATION/TREATMENT TABLE

EXAMINATION TABLE

- Approx Dimensions: 72"L x 24"W x 32"H.
- Frame work Rectangular & Square Steel tubes.
- Adjustable Back rest by hand lever.
- 2 section cushioned top.
- Legs fitted with PVS stands.
- Pre-treated & Epoxy Powder Coated

Model No.: **SAM-581**



Model No.: **SAM-582**



Length : 187 cm
 Width : 51 cm
 Finish : Pre-treated and powder coated
 Height : 81 cm

TREATMENT/ EXAMINATION TABLE WITH SINGLE CABINATE

- Two section foam padded, upholstered top
- One drawers
- One cabinets
- Tray for B. P. apparatus
- Pre treated & epoxy powder coated

OPTIONAL:
 Sigle / Double foot step

TREATMENT/ EXAMINATION TABLE WITH THREE CABINATE

- Adjustable backrest by gas spring system
- Two section foam padded, upholstered top
- Three drawers
- Three cabinets
- Tray for B. P. apparatus
- Pre treated & epoxy powder coated

Model No.: **SAM-583**



DELUX ABS BED SIDE LOCKER

- Overall Size: 450Lx 450Wx760Hmm.
- One drawer.
- One Cabinet.
- One Towel Rail.
- Four 50mm Castors.

Model No.: **SAM-584**



Model No.: **SAM-585**



DELUXE BEDSIDE LOCKER

- Overall Size: 16"L x 16"W x 32"H.
- CRCA Sheet Constructions.
- Having one box.
- Having one drawer.
- Jointless SS Top with three sides raise edgrs.
- Finish: Pretreated and Epoxy Powder Coated

GENERAL BED SIDE LOCKER BED SIDE LOCKER

- Adjustable backrest by gas spring system
- Two section foam padded, upholstered top
- Three drawers
- Three cabinets
- Tray for B. P. apparatus
- Pre treated & epoxy powder coated

Model No.: **SAM-586**



Model No.: **SAM-587**



BED SIDE LOCKER THREE SHELVES

- Overall Size : 16Lx 16W x 32H inch.
- Complete Stainless Steel.
- Three SS Shelves.
- Three Side Railing.

OVER BED TABLE SEMI DELUX

- Rectangular Frame work mounted on 5cm castors.
- Laminated top adjustable by side knob.
- Finish : Pre-treated and Epoxy Powder coated

Model No.: **SAM-588**



Model No.: **SAM-589**



OVERBED TABLE DELUXE

- Rectangular frame work mounted on 5cm castors.
- Laminated top adjustable by gear handle.
- Finish : Pretreated and Epoxy Powder Coated.

GENERAL OVERBED TABLE

- Tubular Frame work mounted on 5cm castors.
- Fixed Membrane press wooden laminated top.
- Finish : Pretreated and Epoxy Powder Coated.

Model No.: **SAM-590**



Model No.: **SAM-591**



BABY CRADLE ON STAND

- Overall Approx Size: 36" x 15" x 39"
- Stand frame work made of 25mm x 1.22mm MS Tubular pipe.
- Legs fitted with PVC Stumps.
- Wire mesh hanging cradle made of 19mm x 1.2mm CRC tube and wire mesh on 5mm thick
- Finish : Pre-treated and epoxy powder coated

S.S INSTRUMENT TROLLEY

- Two SS Shelves, SS Rails to cover three on four 7.5cm.
- swivel castors, two with breaks.
- Wholly made of stainless steel. Size:- 30"L x 18"W x 34" H

Model No.: SAM-593



Model No.: SAM-592



S.S INSTRUMENT TROLLEY BIG SIZE

- Two SS Shelves, SS Rails to cover three on four 7.5cm. swivel castors, two with breaks.
- Wholly made of stainless steel.
- Size:- 38"L x 21"W x 34"

S.S DRESSING TROLLEY

- Two S.S Shelves, S.S Rails to cover three sides of top shelf & four sides of bottom,
- S.S Tubular Steel Frame, on four 10cm Swivel castors, provided with S.S Bowl and bucket,
- Wholly made of Stainless Steel,
- Size :- 30" L x 18" W x 34" H.

Model No.: SAM-594



Model No.: SAM-595



MEDICINE TROLLEY

- 2 drawers for storage
- S.S Tubular Steel Frame, on four 10cm Swivel castors,
- Material SS Finishing
- Also available with 4 drawers



SAM-596

ECG TROLLEY

- Overall approx dimension: 610 mm L X 510 mm W X 850 mm H
- MS tubular frame work
- Three shelves, Top Shelf Stainless Steel and Two Shelf MS
- Push handle-SS
- 125 mm Non rusting wheel two with lock
- Pretreated and power coated

SS MAYO'S INSTRUMENT TROLLEY SINGLE STAND

- Mayo's type, Height Adjustable trolley
- Mounted on four 5 cm castors
- Wholly made of stainless steel.



SAM-598

S.S MAYO'S TROLLEY DOUBLE STAND

- Wholly made of Stainless Steel,
- Adjustable Height suitable to use over the operation table, mounted on four 5 cm castors.

OT INSTRUMENT MAYO'S TROLLEY OVER THE OT TABLE

- Approx Tray S.S Size: 91L x 50W cms.
- Frame work of S.S tube mounted on 10cm castors.
- Height adjustment by gear handle two side.
- S.S frame with S.S top

Model No.: **SAM-599**



Model No.: **SAM-600**



RECTANGULAR STOOL FULL SS

- Approx Size: 12" x 12" x 20"H.
- Top made of Stainless Steel
- Legs made of 25mm x 18G and horizontal support of 19mm x 18G SS Tubes fitted with PVC Stumps.

RECTANGULAR STOOL PC WITH SS TOP

- Approx Size: 12" x 12" x 20" H.
- Top made of CRCA Sheet double bent
- Legs made of 25mm x 18G and Horizontal Support of 19mm x 18G CRCA Tube fitted with PVC Stumpa.
- Finish : Pre treated and Epoxy Powder Coated.

Model No.: **SAM-601**



Model No.: **SAM-602**



REVOLVING STOOL P.C WITH S.S TOP

- Four legs base fitted with PVC Stumps.
- Height adjustment by machine screw from 18" X 27".
- A Foot rest ring support made of MS Tube.
- SS Top supported with SS Sheet.
- Finish : Pre-treated and Epoxy Powder Coated.

REVOLVING STOOL FULL S.S.

- Four legs base SS fitted with PVC Stumps.
- Height adjustment by machine screw from 18" X 27".
- A Foot rest ring support made of SS Tube.
- SS Top supported with SS Sheet.

SAM-603



SAM-604



REVOLVING STOOL FULL S.S WITH FIBER TOP

- Four legs base SS fitted with PVC stumps
- Height adjustment by machine screw from 18" x 27"
- A foot rest ring support made of SS tubes.
- Cushioned top supported with SS circle.

RECTANGULAR STOOL PC WITH SS TOP

- Four legs base fitted with PVC stumps.
- Height adjustment by machine screw from 18" x 27"
- A foot rest ring support made of MS tubes.
- Cushioned top supported with MS circle.
- Finish : Pretreated and Epoxy Powder Coated.

Model No.: SAM-605



SAM-606 (A & B)



CYLINDER TROLLY

- Tubular frame work
- Two 10 cms Castors.
- M.S. Sheet base plate.
- Available for big or small cylinders.
- A for D type cylinder (Big cylinder)
- B for B type cylinder (Small Cylinder)
- Finish : Pre-treated and Epoxy Powder Coated.

S.S. KICK BOWL/ BUCKET

- Approx. S.S Bowl of 350mm.
- Frame work made of SS tubes.
- Mounted on 50mm Castors
- Finish : Stainless Steel.
- Also available in M.S Frame work and SS Basin / Bucket

Model No.: SAM-607



Model No.: **SAM-608**



WASH BASIN STAND (SINGLE)

- Five legs base mounted on 5cms diacastors
- With one approx. 35 cms SS Basin.
- Vertical SS tube made of 25mm X 18G.
- Basin Holder SS tube made of 16mm X 18G.
- Finish : Stainless Steel frame with Stainless Steel Basin Also Available in Epoxy Powder Coated Frame.

WASH BASIN STAND (DOUBLE)

- Five legs base mounted on 5cms dia castors.
- With Two approx. 35 cms SS Basin.
- Vertical SS tube made of 25mm X 18G.
- Basin Holder SS tube made of 16mm X 18G.
- Finish : Stainless Steel frame with Stainless Steel Basin Also Available in Epoxy Powder Coated Frame.

SAM-609



I.V. STAND

- Five Pronged base fitted with 5cms castors.
- 8/10mm S.S./C.P. adjustable I.V.Rod with double hook.
 - A. S.S pipe and rod with Plastic Base
 - B. M.S. pipe and rod with plastic base
 - C. S.S. pipe and rod with S.S. base
 - D. Powder coated pipe and rod with M.S. base

Model No.: **SAM-610**



SAM-611



BEDSIDE SCREEN WITH CURTAIN (3 PANELS)

- Overall Size : 1680H x 2450L mm.
- M.S Tubular Frame work made of 19mm x 18G in three section.
- Legs made of 25mm x 18G mounted on 5cms castors with hooks & springs along with curtain.
- Each Span 610mm wide.
- Finish : Pretreated and Epoxy Powder coated.

BEDSIDE SCREEN WITH CURTAIN (4 PANELS)

Overall Size : 1680H x 2450L mm.

M.S Tubular Frame work made of 19mm x 18G in four section.

Legs made of 25mm x 18G mounted on 5cms castors with hooks & springs along with curtain.

Each Span 610mm wide.

Finish : Pretreated and Epoxy Powder coated.

SAM-612



SAM-613



MS

SS

FOOT STEP SINGLE

- Tubular frame work
- Two 10 cms Castors.
- M.S. Sheet base plate.
- Available for big or small cylinders.
- A for D type cylinder(Big cylinder)
- B for B type cylinder (Small Cylinder)
- Finish : Pre-treated and Epoxy Powder Coated.

FOOT STEP DOUBLE

- Overall approx size : 505mm L X 305mm W X 230mm H.
- Step made of CRCA sheet fitted with PVC Stumps.
- Frame made of 1"X18G CRCA Tube fitted with PVC Stumps.
- Finish : Pretreated and Epoxy Powder Coated.

SAM-614



SS

MS

SAM-615



EMERGENCY & RECOVERY TROLLEY HYDRAULIC

- Two Section Top.
- Height adjusted by foot operated hydraulic pump from 660mm to 910mm.
- Complete with corner buffers, synthetic rubber covered handles, sliding X-Ray cassette, accessories tray, oxygen cylinder holder, SS telescopic IV Rod and swing away side rails.
- Finish : Pretreated and Epoxy Powder Coated.
- Four Swivel castors, 5" dia, two with total lock.
- X-ray translucent removable stretcher, backrest raised on ratchet.
- Overall approx Size: 210L x 65W x 65.95H cms.

EMERGENCY & RECOVERY TROLLEY MANUAL

- Two Section Top.
- Height adjusted by smooth gear mechanism system.
- Complete with corner buffers, synthetic rubber covered handles, sliding X-Ray cassette, accessories tray, oxygen cylinder holder, SS telescopic IV Rod and swing away side rails.
- Finish : Pretreated and Epoxy Powder Coated.
- Four Swivel castors, 5" dia, two with total lock.
- X-ray translucent removable stretcher, backrest raised on ratchet.
- Overall approx Size: 210L x 65W x 65.95H cms.

SAM-616



STRETCHER TROLLEY

- Frame work made of 1.25" x 16G vertical and 1" x 18G horizontal CRC tubes.
- Trolley mounted on 15xms. dia castors, 2 with breaks.
- Removable stretcher top made of M.S. Sheet with S.S. handle.
- Overall size 213L x 56W x 81H cms
- Finish : Pretreated and Epoxy Powder Coa

SAM-617



Optional

- Mattress
- Side railing
- S.S. IV rod.

SAM-618

CRASH CART S.S.



- Overall Approx Size : 960 L x 500 W x 1545 H mm.
- Frame work made of S.S Tubes.
- Two light weight polystyrene boxes each with three drawer.
- Upper drawer with medicine container of different sizes.
- Provision to hold oxygen cylinder made of S.S.
- Massage board for cardiac patient are provided
- Five number colour hand out small bins at eye level
- 8. Provided with S.S I.V rod, corner buffers.
- The Cart mounted on 125mm dia castors 2 with breaks.

Also available in M.S. frame work and laminated



LAPROSCOPIC TROLLEY

SAM-619

- Overall approx size: 800mm L x 600mm D x 1400 H
- Four shelves adjustable and one drawer
- Trolley having two handle
- The trolley mounted on 125mm dia castors 2 with breaks.
- Switch & Socket for medical equipment.
- Supplied with S.S. IV rod and MS oxygen gas cylinder cage
- Finish: Pretreated and Epoxy Powder Coated.



SAM-620

INSTRUMENT CABINATE

- Galvanized Mild Steel sheet construction
- Total 6 shelves including bottom platform
- Lockable Doors
- Mild Steel pipe doors with glass inside
- Leveling Screws on 4 feet
- Epoxy powder coated finish



SAM-621

WHEEL CHAIR FOLDING

1. Invalid Wheel Chair Folding
2. Fixed Armset and Footrest
3. Finish : Pretreated and Epoxy Powder Coated.

WHEEL CHAIR NON-FOLDING

1. Invalid Wheel Chair Non - Folding
2. Finish : Pretreated and Epoxy Powder Coated.



SAM-622



SAM-623

WHEEL CHAIR INVALID COMMUNE

1. Invalid Wheel Chair with commod
2. Finish : Pretreated and Epoxy Powder Coated.

COMMUNE CHAIR

1. Size- Standard
2. Seat Material Plastic, Frame Mild Steel
3. Foldable
4. Material Metal & Fibre
5. Finish : Pretreated and Epoxy Powder Coated.

SAM-624





SAM-625

LINEN TROLLEY SS

- Frame work of SS Tube mounted on 10 cms castors.
- Superior Quality Canvas Bag.
- Also Available in M.S Frame.

LINEN TROLLEY WITH PLASTIC BUCKET

- Push Handle at one end.
- Frame work of SS Tube mounted on 10 cms Castors.
- Superior Quality Plastic Bucket.
- Complete in SS Frame.
- Also Available in M.S Frame

SAM-626



SAM-627

WASTE SEGREGATION TROLLEY

- CRCA/SS framework mounted on 10cm castors.
- Provided with Multi Colour Biomedical Bins
- Foot Operated touch less opening of lid
- Push handle for ease of handling.



S.S. DOUBLE WALL AUTOCLAVE

SAM-628

Stainless Steel & Aluminium Autoclaves

Autoclave Vertical Stainless Steel Nut Locking

(Sterilizer Dressing Pressure Type)

Autoclave Double Wall, Single Chamber. The Inner Chamber, Lid, Ring are made of Stainless Steel 304 grade material. The Outer Wall is made of Stainless Steel Sheet, Legs are made of S.S. . 304 grade material. Equipped with Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Water Drain Valve, Rubber Gasket, Inner Tripod Stand. The autoclave can hold the pressure in between 5 psi to 20 psi.

Standards Size (inch)	Capacity	Variants
10"X18"	23 ltr	Electrical
12"X22"	40 ltr	Electrical
12"X28"	50 ltr	Electrical
14"X22"	52 ltr	Electrical
14"X25"	60 ltr	Electrical
16"X24"	75 ltr	Electrical
18"X24"	95 ltr	Electrical
18"X30"	168 ltr	Electrical
22"X30"	180 ltr	Electrical



SAM-629

ALUMINIUM & S.S. COMBINED DOUBLE WALL AUTOCLAVE

Autoclave Vertical Stainless Steel & Aluminium Combined Nut Locking (Sterilizer Dressing Pressure Type)

Size/Capacity : 23ltr – 40ltr

Models/ Variants

Double Wall Single Chamber Autoclave. The Inner Chamber and Outer Wall are made of Stainless Steel. Ring is made of Aluminium. Lid is made of Stainless Steel combined with Aluminium. The instrument is absolutely leak proof. Equipped with Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Rubber Gasket, Inner Container, Inner Tripod Stand and Mild Steel Legs for autoclave. The autoclave can hold the pressure in between 5 psi to 20 psi.

Standards Size (inch)	Capacity	Variants
10"X18"	23 ltr	Electrical
12"X22"	40 ltr	Electrical



TRIPLE WALL VERTICAL SAM-630

Triple Wall Vertical Hi-Pressure Nut Locking Autoclave - (With Steam Storage)

Size/Capacity : 40ltr –180ltr

Triple Wall Double Chamber Autoclave. The Lid, Ring, Inner Chamber, Middle Chamber (304 grade material) are made of Stainless Steel. The instrument is absolutely leak proof. Middle Chamber works as steam stock jacket. Equipped with Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Water Inlet, Water Outlet, Water Level Indicator, Rubber Gasket, Mild Steel Legs for Autoclave. The autoclave can hold the pressure in between 5 psi to 20 psi. Also equipped with Low Water Cut off Device, Digital Temperature Controller with Digital Timer & Alarm at end of cycle.

Standards Size (inch)	Capacity	Variants
12"X22"	40 ltr	Electrical
14"X25"	60 ltr	Electrical
16"X24"	75 ltr	Electrical
18"X24"	95 ltr	Electrical
22"X30"	180 ltr	Electrical



SAM-631

TRIPLE WALL VERTICAL HI-PRESSURE NUT LOCKING

Triple Wall Vertical Hi-Pressure Nut Locking

Size/Capacity : 40ltr –180ltr

Triple Wall, Double Chamber Autoclave. The Lid, Ring, Inner Chamber, Middle Chamber are made of Stainless Steel. The instrument is absolutely leak proof. Equipped with Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Water Inlet, Water Outlet, Water Level Indicator Rubber Gasket, S.S. Legs for autoclave. The autoclave can hold the pressure in between 5 psi to 20 psi.

Optional Accessories: Controls like Pressure Control Switch, Low Water cut off Device, Digital Timer, Digital Temperature Controller, Alarm.

Standards Size (inch)	Capacity	Variants
12"X22"	40 ltr	Electrical
14"X25"	60 ltr	Electrical
16"X24"	75 ltr	Electrical
18"X24"	95 ltr	Electrical
22"X30"	180 ltr	Electrical



SAM-632

ANESTHESIA TROLLEY SS



- Two gases Rota meter Oxygen & Nitrous- Oxide
- Oxygen Flow meter range 100 cc/min. to 10 liters/ min., Nitrous Oxide Flow meter range 200 cc/min to 12 liters/min.* Standard fresh gas Outlet.
- Change over system Open Circuit to close Circuit.
- Emergency Flush valve at front Panel connected to incoming O2 supply
- Goldman type halothane vaporizer.
- Parking Space for two additional vaporizer.
- Non-return cum Pressure Relief Valve Minimize risk of back flow of gases.

- Blows off valve when pressure exceeds 200 cm of water column fitted.
- Provision to fit Ventilator.
- Provision to fit Carbon Dioxide Absorber.
- Extended platform at rear for two 'B' type cylinder.
- Table top made of stainless Steel.
- Top tray at eye level to keep monitoring instrument.
- Maggill's circuit or Bains circuit.* One spacious Drawer on smooth runner.
- Four Castor trolley with front two lockable Wheels.
- Pin Index Yokes two for Oxygen and two for Nitrous Oxide.
- High-efficiency Regulators for reliability Two Each for O2 & N2O.



SAM-633

SCRUB STATION-MANUAL

- Fabricated from heavy gauge type 304 SS, stainless steel & with seamless welded construction polished to a satin finish.
- Designed to be installed on the wall using a mounting carrier from both the sides & can be operated by foot, by a knee by Automation & by the elbow.
- Scrubs sink provided with a front access panel which is easily removed for access to the water control valves, waste connections, stops & SS pipes.

Options:

1. One bay elbow operated
2. One bay foot operated
3. Two bay elbow operated
4. Two bay foot operated



SAM-634

SCRUB STATION SEMI-AUTOMATIC



Two bay semi-automatic sink fabricated from heavy gauge type 304 SS, stainless steel and seamless welded construction polished to a satin finish. The cabinet interior is sound dead end with a free resistant material. The unit is designed to be installed on the wall using a mounting carrier from both the sides & can be operated by foot, by a knee by Automation & by the elbow. The scrubs sink is provided with a front access panel which is easily removed for access to the water control valves, waste connections, stops & SS pipes.

S.No.	Size	User	Tap	Soap Dispensers	Drain Outlets
1	90L x 54W x 84H	One	Elbow Operated Mixture Tap	One	One
2	90L x 54W x 84H	One	Automatic - SDT	One	One
3	120L x 54W x 84H	One	Elbow Operated Mixture Tap	One	One
4	120L x 54W x 84H	One	Automatic – SDT	One	One
5	145L x 54W x 84H	Two	Elbow Operated Mixture Tap	One	Two
6	145L x 54W x 84H	Two	Automatic – SDT	One	Two
7	145L x 54W x 84H	Two	One Elbow Operated Mixture Tap and One Automatic SDT	One	Two
8	195L x 54W x 84H	Three	Elbow Operated Mixture Tap	Two	Two
9	195L x 54W x 84H	Three	Automatic – Sensor Detection	Two	Two



Automatic three bay



Automatic two bay



Manual elbow operated two bay

SAM-635

SUCTION MACHINE

Twin Bottle (22-25 ltr/min.)

Description:

- A versatile trolley model on 4 swivel castors suitable for general suction procedures
- Main body constructed from M.S. sheet with S.S. top, fitted with Push Handle
- D.C. outlet socket on side for connecting foot pedal* (*Optional – Not included)
- Fitted with Vacuum Gauge, ON/OFF Switch cum indicator, Vacuum Control Knob
- Overflow cut-off device fitted in one bottle
- Supplied with patient suction tube with plastic tip and electric lead

Technical Specifications:

Capacity	- 760mmHg ± 10 having a flow rate of approx. 22 – 25 Lit. / min
Double Jar	2 x 1.5 Lit. graduated glass with rubber lids
Vacuum Gauge	Bourden type 0 – 760mmHg & 0-30 inHg
Pump	Oil immersed vacuum pump
Operates on	220~240V 50Hz. A.C. mains

Optional:

Bacterial Filter	At extra cost. Please specify when enquiring / ordering
Polycarbonate jars instead of glass	Foot Pedal
Available in all S.S. body	Yankauer Suction Canula (Metal)



SUCTION MACHINE

SAM-636

Twin Bottle (22-25 ltr/min.)

Description:

- A versatile trolley model on 4 swivel castors suitable for general suction procedures
- Main body constructed from S.S. sheet with S.S. top, fitted with Push Handle
- D.C. outlet socket on side for connecting foot pedal* (*Optional – Not included)
- Fitted with Vacuum Gauge, ON/OFF Switch cum indicator, Vacuum Control Knob
- Overflow cut-off device fitted in one bottle
- Supplied with patient suction tube with plastic tip and electric lead

Technical Specifications:

Capacity	- 760mmHg ± 10 having a flow rate of approx. 22 – 25 Lit. / min
Double Jar	2 x 1.5 Lit. graduated glass with rubber lids
Vacuum Gauge	Bourden type 0 – 760mmHg & 0-30 inHg
Pump	Oil immersed vacuum pump
Operates on	220~240V 50Hz. A.C. mains

Optional:

Bacterial Filter	At extra cost. Please specify when enquiring / ordering
Polycarbonate jars instead of glass	Foot Pedal
Available in all S.S. body	Yankauer Suction Canula (Metal)



SAM-701

CRC Chrome Plated Non Rotatable WAITING CHAIR,
For Hospital, Seating Capacity: 3

Technical Specifications:

Overall size: - 1830 mm L x 500 mm W x 400 mm H

- 1)Three seater
- 2)Chrome plated
- 3)Trendy design

PATIENT WAITING CHAIR



PATIENT WAITING CHAIR


SAM-702

STAINLESS STEEL Non Rotatable WAITING CHAIR,
For Hospital, Seating Capacity: 3

Technical Specifications:

Overall size: - 1830 mm L x 500 mm W x 400 mm H

- 1)Three seater
- 2)Stainless Steel Grade 202/304
- 3)Heavy design





HOSPITAL FURNITURE & EQUIPMENT

AFORDABLE AND QUALITY PRODUCTS

*Manufacturing unit
and registered
Office*

LOT H-11
NEW BHARAT NAGAR
BHIWANI-127021
HARYANA (INDIA)

Corporate Office

F-305, SUNCITY AVENUE
SECTOR 102
GURUGRAM - 122505
HARYANA (INDIA)
Tel: +91 8510 953 953
email:
support@surgimill.com
www.surgimill.com

**CREATING IDEAS
AND EMERGING AS A BRAND
THAT IMPROVING HEALTHCARE
FACILITIES**



***Surgimill Medical Systems has been working closely on
different hospital furniture and medical equipment's
which are pioneer in healthcare division***

Latest Technology and advance processes to continuously innovate and enhanced products are used at Surgimill. , making it a renowned name in the Hospital Furniture and Equipment's Industry.

The four core elements that Surgimill stands for are Quality Reliability , Design Innovation and After Sales Care

Manufacturing of products takes place at our state of the are facilities located in Haryana. We are actively providing products and service in India and abroad.

1. SurgiMill reserves the rights to change any of the specifications provided in this catalogue without prior notice for product improvement
2. The images/specifications shown in the catalogue are of standard products only. Customers are advised to obtain detailed product specifications, features and accessories, model etc. of the items they want us to enable them to take informed purchasing decision.